

OSHA CITATIONS
Serious Violations FY 2004

Installation	UIC	Open Conf. Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Max Private Sector Penalty
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.133(a)(1)	PPE - The employer shall ensure that each affected employee uses appropriate eye or face protection when exposed to eye or face hazards from flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or potentially injurious light radiation.	OPNAVINST 5100.23F Chapter 20 Personal Protective Equipment	3/22/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.242(b)	Hand and portable power tools & compressed air used for cleaning - Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	3/16/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.303(b)(2)	Electrical-General, Installation and use - Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	3/22/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.304(f)(5)	Wiring design and protection - Exposed non-current-carrying metal parts of cord - and plug-connected equipment which may become energized shall be grounded If operated at over 150 volts to ground, except for guarded motors and metal frames of electrically heated appliances if the appliance frames are permanently and effectively insulated from ground.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/14/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.305(f)	Conductors for general wiring - All conductors used for general wiring shall be insulated unless otherwise permitted The conductor insulation shall be of a type that is approved for the voltage, operating temperature, and location of use. Insulated conductors shall be distinguishable by appropriate color or other suitable means as being grounded conductors, ungrounded conductors, or equipment grounding conductors.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	3/22/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.107c(6)	Spray finishing using combustible materials - Electrical wiring and equipment not subject to deposits of combustible residues but located in a spraying area shall be of explosion-proof type approved for Class I, group D locations and shall otherwise conform to the provisions of subpart S of this part, for Class I, Division 1, Hazardous Locations. Electrical wiring, motors, and other equipment outside of but within twenty (20) feet of any spraying area, and not separated by partitions, shall not produce sparks under normal operating conditions and shall otherwise conform to the provisions of subpart S of this part for Class I, Division 2 Hazardous Locations.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/26/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.147c(5)(ii)	Hazardous Energy control - Lockout devices and tagout devices shall be singularly identified; shall be the only devices(s) used for controlling energy; shall not be used for other purposes.	OPNAVINST 5100.23F Chapter 24, Energy Control Program Lockout/Tagout	3/19/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.212(a)(3)ii	Machine Guarding - The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 5	4/26/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.303(b)(2)	Electrical-General, Installation and use - Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 5	3/19/2004	\$7,000
U.S. Navy - NUWC, 610 Dowell St, Keyport, WA 90345	00253	3/3/2004	Program - Planned	Serious	1910.305(b)(2)	Electrical wiring methods, and components - All pull boxes, junction boxes, and fittings shall be provided with covers approved for the purpose. If metal covers are used they shall be grounded. In completed installations each outlet box shall have a cover, faceplate, or fixture canopy. Covers of outlet boxes having holes through which flexible cord pendants pass shall be provided with bushings designed for the purpose or shall have smooth, well-rounded surfaces on which the cords may bear.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	3/22/2004	\$7,000
Naval Air Station (NAS), 1251 Orion St, Brunswick, ME 04011	60087	3/16/2004	Referral	Serious	1910.1200(e)(2)(ii)	Multi-employer workplaces - The hazard communication program must include: The methods the employer will use to inform the other employer(s) of any precautionary measures that need to be taken to protect employees during the workplace's normal operating conditions and in foreseeable emergencies.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 7 Hazardous Material Control and Management	9/17/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

FISC Bangor Submarine Base, Bldg 6403, 6403 Skipjack Circle, Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.26(c)(2)vii	Portable ladders - Ladders having defects are to be marked and taken out of service until repaired by either maintenance department or the manufacturer.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/8/2004	\$7,000
FISC Bangor Submarine Base, Bldg 6403, 6403 Skipjack Circle, Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.212(b)	Machinery and machine guarding, Anchoring fixed machinery - Machines designed for a fixed location shall be securely anchored to prevent walking or moving.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/22/2004	\$7,000
FISC Bangor Submarine Base, Bldg 6403, 6403 Skipjack Circle, Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.303(b)(2)	Electrical-General, Installation and use - Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/22/2004	\$7,000
FISC Bangor Subbase Bldg 2101, Barbel St, Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.101(b)	Compressed gases - The in-plant handling, storage, and utilization of all compressed gases in cylinders, portable tanks, rail tankcars, or motor vehicle cargo tanks shall be in accordance with Compressed Gas Association Pamphlet P-1-1965, which is incorporated by reference as specified in Sec. 1910.6.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	3/31/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

FISC Bangor Submarine Base, Bldg 7000, 7000 Trigger Ave., Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.22c	Walking-Working Surfaces - Covers and/or guardrails shall be provided to protect personnel from the hazards of open pits, tanks, vats, ditches, etc.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/7/2004	\$7,000
FISC Bangor Submarine Base, Bldg 7000, 7000 Trigger Ave., Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.66(j)	Personal fall protection - Employees on working platforms shall be protected by a personal fall arrest system meeting the requirements of appendix C, Section I, of this standard, and as otherwise provided by this standard.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/8/2004	\$7,000
FISC Bangor Submarine Base, Bldg 7000, 7000 Trigger Ave., Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.151c	First Aid - Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/8/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

FISC Bangor Submarine Base, Bldg 7000, 7000 Trigger Ave., Silverdale, WA 98315	3485B, 3486B	3/18/2004	Program - Planned	Serious	1910.303(b)(1)(ii)	Examination, installation, and use of equipment - Electrical equipment shall be free from recognized hazards that are likely to cause death or serious physical harm to employees. Safety of equipment shall be determined using the following considerations: Mechanical strength and durability, including, for parts designed to enclose and protect other equipment, the adequacy of the protection provided.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/7/2004	\$7,000
SEAL Beach Naval Weapons Station, 800 Seal Beach Blvd, Seal Beach, CA 90740	47615	4/12/2004	Unplanned - Fatality Investigation of electrocution on high voltage line from bucket truck	Serious	1910.67(c)(2)(v)	Work Platforms - A body belt shall be worn and a lanyard attached to the boom or basket when working from an aerial lift.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/11/2004	\$7,000
SEAL Beach Naval Weapons Station, 800 Seal Beach Blvd, Seal Beach, CA 90740	47615	4/12/2004	Fatality Investigation of electrocution on high voltage line from bucket truck	Serious	1910.269(l)(1)(i)(a)	Electric Power Distribution - At least two employees shall be present during installation, removal, or repair of lines that are energized at more than 600 volts.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/11/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

SEAL Beach Naval Weapons Station, 800 Seal Beach Blvd, Seal Beach, CA 90740	47615	4/12/2004	Fatality Investigation of electrocution on high voltage line from bucket truck	Serious	1910.269(l)(2)	Minimum approach distances - The employer shall ensure that no employee approaches or takes any conductive object closer to exposed energized parts than set forth in Table R-6 through Table R-10.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/11/2004	\$7,000
SEAL Beach Naval Weapons Station, 800 Seal Beach Blvd, Seal Beach, CA 90740	47615	4/12/2004	Fatality Investigation of electrocution on high voltage line from bucket truck	Serious	1910.269 (m)(3)(v)	Electric Power - After the applicable requirements in paragraphs (m)(3)(i) through (m)(3)(iv) of this section have been followed and the employee in charge of the work has been given a clearance by the system operator, the lines and equipment to be worked shall be tested to ensure that they are deenergized.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/11/2004	\$7,000
SEAL Beach Naval Weapons Station, 800 Seal Beach Blvd, Seal Beach, CA 90740	47615	4/12/2004	Fatality Investigation of electrocution on high voltage line from bucket truck	Serious	1910.269 (m)(3)(ii)	Electrical - All switches, disconnectors, jumpers, taps, and other means through which known sources of electric energy may be supplied to the particular lines and equipment to be deenergized shall be opened. Such means shall be rendered inoperable, unless its design does not so permit, and tagged to indicate that employees are at work.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/11/2004	\$7,000
SEAL Beach Naval Weapons Station, 800 Seal Beach Blvd, Seal Beach, CA 90740	47615	4/12/2004	Fatality Investigation of electrocution on high voltage line from bucket truck	Serious	1910.269(n)(2)	Electrical - For the employee to work lines or equipment as deenergized, the lines or equipment shall be deenergized under the provisions of paragraph (m) of this section, and shall be grounded as specified in paragraphs (n)(3) through (n)(9) of this section.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/11/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

Dept of Defense CNAT 401 Bataan Bldg 89, Rm 220 Corpus Christi, TX 78419	63110	4/26/2004	Program Related	Serious	1910.1025(h)(1)	Lead - All surfaces shall be maintained as free as practicable of accumulations of lead.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 8. Occupational Health	6/9/2004	\$7,000
U.S. Navy NASWI Golf Course Maintenance Shop Oak Harbor, WA 98278	00620	4/27/2004	Planned- program related	Serious	1910.242(b)	Compressed air used for cleaning - Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	5/7/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

U.S. Navy/NRS, 21027Jim Creek Rd, Arlington, WA 98223	62144	6/10/2004	Planned	Serious	1910.213c(1)	Hand-fed ripaws - Each circular hand-fed ripaw shall be guarded by a hood which shall completely enclose that portion of the saw above the table and that portion of the saw above the material being cut. The hood and mounting shall be arranged so that the hood will automatically adjust itself to the thickness of and remain in contact with the material being cut but it shall not offer any considerable resistance to insertion of material to saw or to passage of the material being sawed. The hood shall be made of adequate strength to resist blows and strains incidental to reasonable operation, adjusting, and handling, and shall be so designed as to protect the operator from flying splinters and broken saw teeth. It shall be made of material that is soft enough so that it will be unlikely to cause tooth breakage. The hood shall be so mounted as to insure that its operation will be positive, reliable, and in true alignment with the saw; and the mounting shall be adequate in strength to resist any reasonable side thrust or other force tending to throw it out of line.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/15/2004	\$7,000
U.S. Navy/NRS, 21027Jim Creek Rd, Arlington, WA 98223	62144	6/10/2004	Planned	Serious	1910.215(a)(4)	Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/15/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

U.S. Navy/NRS, 21027 Jim Creek Rd, Arlington, WA 98223	62144	6/10/2004	Planned	Serious	1910.215(b)(9)	Exposure adjustment, safety guards (Bench, floor stand, and cylindrical grinders) Where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/15/2004	\$7,000
U.S. Navy/NRS, 21027 Jim Creek Rd, Arlington, WA 98223	62144	6/10/2004	Planned	Serious	1910.303(g)(1)	Working space about electric equipment - Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/15/2004	\$7,000
Charlestowne Navy Yard, Boston, MA	48695	6/30/2004	Unplanned	Serious	1915.0159(a)(9)	Anchorages shall be capable of supporting at least 5,000 pounds (22.24 Kn) per employee attached, or shall be designed, installed, and used as follows: as part of a complete personal fall arrest system which maintains a safety factor of at least two; and under the direction and supervision of a qualified person.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/9/2004	\$7,000

OSHA CITATIONS
Serious Violations FY 2004

Charlestowne Navy Yard, Boston, MA	48695	6/30/2004	Unplanned	Serious	1915.0152(a)	Provision and use of equipment. The employer shall provide and shall ensure that each affected employee uses the appropriate personal protective equipment (PPE) for the eyes, face, head, extremities, torso, and respiratory system, including protective clothing, protective shields, protective barriers, personal fall protection equipment, and life saving equipment, meeting the applicable provisions of this subpart, wherever employees are exposed to work activity hazards that require the use of PPE.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 20. Personal Protective Equipment	12/9/2004	\$7,000
Naval Air Depot (NAD), North Island Bldg 334- M, San Diego, CA 92135	65888	9/22/2004	Planned	Serious	1910.23c(1)	Guarding floor and wall openings - Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/17/2004	\$7,000
Naval Facilities Engineering Command, Bldg. 125, San Diego, CA 92135	53824	9/23/2004	Program- Planned	Serious	1910.243c(1)(ii)(a)	Guarding portable power tools. Abrasive wheels shall be used only on machine provided with safety guards as defined in paragraph (c) (1) through (4) of this section.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	11/8/2004	\$7,000